

THIS SPECIFICATION APPLIES TO THE ELECTROMAGNETIC BUZZER

SPECIFICATION

item		unit	specification	condition
oscilla	ation frequency	Hz	2400	Vo-p=1/2 duty, square wave
opera	ating voltage	Vo-p	1~2	
rated	voltage	Vo-p	1.5	
curre	nt consumption	mA	35	At rated voltage
sound	d pressure pevel	dB	85	At 10cm at rated voltage
coil re	esistance	Ω	16±4	
opera	ating temperature	°C	-30 ~ +70	
storag	ge temperature	°C	-20 ~ +85	
dime	nsion	mm	φ12.0×H9.5	See appearance drawing.
weigh	ht (max)	gram	2.0	
housi	ing material		PBT	
leadir	ng pin		Pin type (Tin plated brass)	See appearance drawing
enviro	onmental protection		RoHS	
regul	ation			

RELIABILITY TEST

item		test condition and requirement			
high test (:	temperature storage)	After being placed in a chamber with 80±2°C for 96 hours and then being placed in normal condition for 2 hours. Allowable variation of SPL after test: ±10dB.			
low test (:	emperature storage)	After being placed in a chamber with -30±2°C for 96 hours and then being placed in normal condition for 2 hours. Allowable variation of SPL after test: ±10dB.			
humi	dity test	After being Placed in a chamber with 90-95% R.H. at 40±2°C for 96 hours and then being placed in normal condition for 2 hours. Allowable variation of SPL after test: ±10dB.			
temp	erature cycle test	The part will be subjected to 5 cycles. One cycle shall be consist of: -70°C			
		-20°C			
		3hours			

Allowable variation of SPL after test: ± 10 dB.

3hours



RELIABILITY TEST (CONTINUED)

item	test condition and requirement	
drop test	Drop on a hard wood board of 4cm thick, any directions , 6 times,	
	at the height of 75cm .	
	Allowable variation of SPL after test: ±10dB	
vibration test	After being applied vibration of amplitude of 1.5mm with 10 to 55 Hz	
	band of vibration frequency to each of 3 perpendicular directions for 2 hours .	
	Allowable variation of SPL after test: ±10dB.	
solderability test	Lead terminals are immersed in rosin for 5 seconds and then immersed in	
	solder bath of $+300\pm5$ °C for 3 ± 1 seconds .	
	90% min. lead terminals will be wet with solder	
	(Except the edge of terminals).	
terminal strength	The force of 9.8N(1.0kg) is applied to each terminal in axial direction for 10 seconds.	
pulling test	No visible damage and cutting off.	
TEST CONDITION		
Standard Test Condition:	a) Temperature : +5 ~ +35°C b) Humidity : 45 ~ 85% c) Pressure : 860 ~ 1060mbar	

TESTING METHOD

Standard Measurement conditions : Temperature: 25±2°C Humidity:45 ~ 65%

ACOUSTIC CHARACTERISTICS:

The oscillation frequency, current consumption and sound pressure are measured by the measuring instruments shown below:



In the measuring test, buzzer is placed as follows:





TYPICAL FREQUENCY RESPONSE CURVE





MODEL: WT-1201 PRODUCT: Electromagnetic Buzzer EDITION: A/2016

Soberton Inc.

DIMENSIONS

Tolerance:±0.5 (unit: mm)









no	components	material	quantity
1	Cover	PBT	1
2	Diaphragm	Iron	1
3	Magnet	Nylon + Iron	1
4	Coil	Copper	1
5	Core	Iron	1
6	РСВ	Epoxy glass fiber cloth + copper	1
7	PIN	copper	2



MODEL: WT-1201 PRODUCT: Electromagnetic Buzzer EDITION: A/2016

PACKING



packing box	L x W x H (mm)	pieces
Tray	190 x 190 x 25	1 x 100 = 100pcs
Out box	210 x 210 x 220	10 x 100 = 1,000pcs
Carton box	430 x 430 x 250	4 x 1000 = 4,000pcs